

MOTORCYCLES & PARTS 2021™





 **YANNICK COQUARD**
CO-FONDATORE & EX PILOTA

NORMANDIA, FRANCIA

YCF® HA SVILUPPATO E COSTRUITO MOTOCICLI PER UN VASTO PUBBLICO DAL 2004, PER DIVERTIRSI E PER COMPETERE. OGNI ANNO UNA NUOVA E COMPLETA LINEA DI MOTOCICLI AFFIDABILI, ACCESSIBILI E AD ALTE PRESTAZIONI VI PERMETTONO DI APPREZZARE TUTTI I PIACERI DELLE MINIBIKES IN COMPLETA SICUREZZA.

TUTTI I PRODOTTI YCF SONO DISEGNATI, SVILUPPATI E REALIZZATI INTERNAMENTE ALL' AZIENDA. GRAZIE ALLO SVILUPPO CONTINUO DEL SETTORE COMPETIZIONI I PRODOTTI YCF BENEFICIANO SEMPRE DELLE ULTIME EVOLUZIONI TECNICHE A BENEFICIO DEI PROPRI CLIENTI.

BUON DIVERTIMENTO A TUTTI


NORMANDY, FRANCE

YCF® HAVE BEEN DEVELOPING AND MANUFACTURING MOTORCYCLES SINCE 2004, FOR THE GENERAL PUBLIC, FOR LEISURE AND FOR COMPETITION. EACH YEAR A NEW AND COMPLETE RANGE OF RELIABLE, AFFORDABLE AND HIGH-PERFORMANCE MOTORBIKES IS ON OFFER, ALLOWING YOU TO EXPERIENCE ALL THE PLEASURES OF MINI BIKES IN COMPLETE SAFETY.

100% OF YCF PRODUCTS ARE DEVISED, DESIGNED AND DEVELOPED IN-HOUSE. DUE TO BEING DEVELOPED UNDER COMPETITION CONDITIONS YCF PRODUCTS TAKE ADVANTAGE OF THE VERY LATEST ADVANCES, FOR THE BENEFIT OF THE WHOLE FAMILY AND FOR THE GENERAL PUBLIC.

HAVE A GOOD RIDE.





SPECIAL PARTS



FACTORY PARTS



FOR 50 ONLY



FOR SUPERMOTO



FOR BIGY® ONLY



ARRO® TIRES



DAYTONA® ENGINES



ENGI® FORK



MIKUNI® CARBURETORS



KEIHIN® CARBURETORS



TWINAIR® FILTERS



D'COR VISUALS® GRAPHICS



NIBBI CARBURETORS®



PIRELLI® TIRES



DNM® SUSPENSIONS



GAMMA 2021 RANGE 2021

YCF 50A	6
YCF 50E	8
LITE F88	12
LITE F125	14
START F88SE	16
YCF W88	18
START F125S	20
START F125SE	22
PILOT F125	24
PILOT F150	26
FACTORY SP2 F150	28
FACTORY SP3 F190	30
SM F125	32
SM 160 LIMITED MOBSTER	34
SM 190 LIMITED MOBSTER	36
SM 110 AUTO S	38
SM 110 AUTO M	40
BIGY 125 MX	42
BIGY 150 MX	44
BIGY 190 MX FACTORY ZE	46
BIGY 190 MX FACTORY DAYTONA®	48
PADDOCK/ PADDOCK	50
ABBIGLIAMENTO/ APPAREL	52

ACCESSORI E PLASTICHE PLASTIC PARTS

KIT GRAFICI/ GRAPHIC KITS	54
PERSONALIZZAZIONE/ CUSTOMISATION	60
KIT PLASTICHE/ PLASTIC KITS	62

PARTI MOTO CYCLE PARTS

MANUBRI/ HANDLE BARS	72
LEVE/ LEVERS	74
FORCELLE/ FORKS	76
TELA/ FRAMES	79
SELLE/ SEATS	80
SERBATOI/ FUEL TANKS	81
FRENI/ BRAKES	82
FORCELLONI/ SWING ARMS	90
AMMORTIZZATORI/ SHOCK ABSORBERS	92
RUOTE/ WHEELS	93
CERCHI E MOZZI/ RIMS & HUBS	97
PNEUMATICI/ TYRES	100
PEDANE E PARAMOTORI/ FOOT PEGS & SKID PLATES	102
LEVE CAMBIO/ SHIFT LEVERS	103
PIGNONI E CORONE/ SPROCKET KITS	105
ATTREZZI/ TOOLS	106
ENGI®/ ENGI®	108

PARTI MOTORE ENGINE PARTS

MOTORE DAYTONA®/ DAYTONA® ENGINES	112
MOTORI/ ENGINES	113
KIT MOTORE/ ENGINE KITS	114
FRIZIONE/ CLUTCH	116
KIT ESTETICA/ DRESS UP KITS	118
CARBURATORI/ CARBURETORS	120
FILTRI ARIA/ AIR FILTERS	122
SISTEMI DI SCARICO/ EXHAUSTS	124
FILTRI E RADIATORI/ FILTERS & COOLERS	126
ACCENSIONE/ IGNITION	126
PARTI RACING DAYTONA®/ DAYTONA® RACING PARTS	130
PARTI ORIGINALI DAYTONA®/ DAYTONA® PARTS	131



YCF 50A

YCF 50E



P.11




P.13




LITE F88S

LITE F125



P.17




P.19




FACTORY SP2 150

FACTORY SP3 190



P.33




P.35




START

START F88SE



P.21


START F125
START F125SE



P.25
P.27

W88 ELECTRIC MOTOR


START W88



P.23


PILOT

PILOT F125



P.29


PILOT F150



P.31


SM

SM F125



P.37


LIMITED MOB 160
LIMITED MOB 190



P.39
P.41

bigY


BIGY 125 MX
BIGY 150 MX



P.43
P.45


FACTORY

BIGY 190 MX FACTORY ZE
BIGY 190 MX FACTORY DAYTONA®



P.47
P.49

SM 110 M
SM 110 S



P.40



€ 1299

DISPONIBILI ANCHE I PNEUMATICI
DA 10 POLLICI PER UN
ALLESTIMENTO SUPERMOTO
VEDERE PAGINA 100



SPECIFICHE

MOTORE : MONOCILINDRICO 4 TEMPI 50C
AUTOMATICO RAFFREDDATO AD ARIA
FORCELLA ROVESCIAIA 530mm
SOSPENSIONE POSTERIORE 200mm
PNEUMATICI : 2.50/10 - 2.50/10

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER AIR
COOLING/ AUTOMATIC GEAR BOX
530mm UPSO FORK
200mm REAR SUSPENSION
FRONT & REAR TIRES: 2.50/10 - 2.50/10

2021 YCF 50 A FUN FANATIC

CARATTERISTICHE E NOVITA' 2021

MOTORE 4T 50CC
COMANDO STARTER ARIA A MANUBRIO
AVVIAMENTO ELETTRICO
PRESA RAPIDA CARICABATTERIA
COMANDO GAS REGOLABILE
42 KG DI PESO
BLOCCETTO CHIAVE IMPERMEABILE
FRENI ANT E POST IDRAULICI

HIGHLIGHTS & 2021 NEW FEATURES

50CC 4 STROKE ENGINE
START STRIGGER
ELECTRIC START
FAST BATTERY CHARGING
ADJUSTABLE THROTTLE
ONLY 92 LBS IN WEIGHT
WATERPROOF KEY CONTACTOR
HYDRAULIC BRAKE SYSTEM



YCF CONSIGLIA LUBRIFICANTI IPONE®



YCF50A



 **42Kg / 92 lbs**

L : 580mm / W: 23 in.

855mm / 33 in.

1240mm / 49 in.



€ 1599

DISPONIBILI ANCHE I PNEUMATICI
DA 10 POLLICI PER UN
ALLESTIMENTO SUPERMOTO
VEDERE PAGINA 100



SPECIFICHE

MOTORE: ELETTRICO 1200W
BATTERIE AL LITIO 10Ah
FORCELLA ROVESCIAIA 530mm
MONOAMMORTIZZATORE 200mm
PNEUMATICI: 2.50/10 - 2.50/ 10

SPECIFICATIONS

1200W ELECTRIC
10 Ah LITHIUM BATTERY
530mm UPSO FORK
200mm REAR SUSPENSION
FRONT & REAR TIRES: 2.50/10 - 2.50/ 10



YCF CONSIGLIA LUBRIFICANTI IPONE®

2021 YCF 50 E SILENCE BUILT TO PERFECTION

CARATTERISTICHE E NOVITA' 2021

MOTORE ELETTRICO NÉODYMIUM MAGNET DC 1200W/ 48V
BATTERIE AL LITIO/ TEMPO DI RICARICA 6H
AUTONOMIA 1H30
CARICABATTERIE LI-ION 110V/ 220V
REGOLAZIONE VELOCITA (POTENZIOMETRO)
INDICATORE DI CARICA SU COMANDO GAS
SOLO 36 KG DI PESO
REGOLAZIONE RISPOSTA ACCELERATORE
FRENI ANT E POST IDRAULICI

HIGHLIGHTS & 2021 NEW FEATURES

1200W/ 48V NEODYMIUM MAGNET DC ENGINE
LITHIUM BATTERY/ CHARGING TIME 6 HOURS
BATTERY LIFE 1H30
LI-ION BATTERY CHARGER 110V/ 220V
SPEED DIAL (POTENTIOMETER)
THROTTLE WITH BATTERY CHARGE INDICATOR
ONLY 79 LBS IN WEIGHT
ACCELERATION RESPONSE TIME ADJUSTMENT
HYDRAULIC BRAKE SYSTEM



YCF50E



 **36Kg / 79 lbs**

L : 580mm / W: 23 in.

855mm / 33 in.

1240mm / 49 in.



SOLO PER 50

KIT STABILIZZATORE YCF 50 STABILISER WHEEL KIT FOR YCF 50

→ YC50-2105

€ 119

RUOTA PER KIT STABILIZZATORE WHEEL FOR STABILISER WHEEL KIT

01 → YC50-2101

€ 19



CAMERA D'ARIA RUOTA KIT STABILIZZATORE TUBE FOR STABILISER WHEEL KIT

03 → YC50-2106

€ 8

PARAFANGO PER KIT STABILIZZATORE MUDGUARD FOR STABILISER WHEEL KI

02 → YC50-2103 (SINISTRO/ LEFT)

02 → YC50-2104 (DESTRO/ RIGHT)

€ 25







€ 1049

DISPONIBILI ANCHE I PNEUMATICI
DA 10 POLLICI PER UN
ALLESTIMENTO SUPERMOTO
VEDERE PAGINA 100



SPECIFICHE

MOTORE: MONOCILINDRICO 4 TEMPI
88cc 4 MARCE CON CAMBIO SEMIAUTOMATICO
FORCELLA 600mm
SOSPENSIONE POSTERIORE 265mm
PNEUMATICI.: 250/10 - 300/10

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 88cc
4 GEARS (N1234) WITH AUTOMATIC CLUTCH
600mm FORK
265mm REAR SUSPENSION
FRONT & REAR TIRES: 250/10 - 300/10

2021 LITE F88S LIGHT? YOU BET!

CARATTERISTICHE E NOVITA' 2021

COMANDO GAS REGOLABILE
SEMI-AUTOMATICA
SELLA RIBASSATA PAG. 80
FILTRO ARIA YCF
MANOPOLE YCF SELETTORE MARCE CORTO

KIT RIBASSAMENTO A PAG 92

TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ADJUSTABLE THROTTLE
SEMI-AUTOMATIC
COMPATIBLE LOW SEAT PAGE 80
YCF AIR FILTER
YCF GRIPS
SHORTER GEARSHIFT
HEIGHT ADJUSTMENT KIT PAGE 92
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

LITE

F88S



710mm / 28 in.

 **60Kg / 132 lbs**

L : 740mm / W : 29 in.

1083mm / 42 in.

1500mm / 42 in.



€ 1099

SPECIFICHE

**MOTORE: MONOCILINDRICO 4 TEMPI 125CC A
4 MARCE CON FRIZIONE**
FORCELLA 650mm
MONOAMMORTIZZATORE 270mm
PNEUM ANT E POST : 60/100/14 - 80/100/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 125cc
4 GEARS (N1234)
650mm FORK
270mm REAR SUSPENSION
FRONT & REAR TIRES: 60/100/14 - 80/100/12

2021 LITE F125 LIGHT? YOU BET!

CARATTERISTICHE E NOVITA' 2021

COMANDO GAS REGOLABILE
CAMBIO CON FRIZIONE MANUALE
SELLA RIBASSATA PAGE 80
FILTRO ARIA YCF
MANOPOLE YCF
LEVA CAMBIO CORTA
KIT RIBASSAMENTO A PAG. 92
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ADJUSTABLE THROTTLE
MANUAL CLUTCH
COMPATIBLE LOW SEAT PAGE 80
YCF AIR FILTER
YCF GRIPS
SHORTER GEARSHIFT
HEIGHT ADJUSTMENT KIT PAGE 92
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

LITE

F125

750mm / 30 in.



 **63Kg / 139 lbs**

L : 740mm / W: 29 in.

1110mm / 44 in.

1590mm / 62 in.



€ 1499

SPECIFICHE

MOTORE MONOCILINDRICO A 4 TEMPI 88cc
4 MARCE CON CAMBIO SEMIAUTOMATICO
FORCELLA ROVESCIAIA 600mm
SOSPENSIONE POSTERIORE REGOLABILE 265mm
PNEUMATICI : 60/100/12 - 300/10

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 88cc
4 GEARS (N1234) WITH AUTOMATIC CLUTCH
600mm UPSD FORK
265mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/12 - 300/10



YCF CONSIGLIA LUBRIFICANTI IPONE®



2021 START F88SE MAGIC BUTTON

CARATTERISTICHE E NOVITA' 2021

AVVIAMENTO ELETTRICO
SEMI AUTOMATICA
COMANDO GAS REGOLABILE
PULSANTE AVVIAMENTO WATERPROOF
SELLA RIBASSATA A PAG. 80
FILTRO ARIA YCF
MANOPOLE YCF
LEVA CAMBIO CORTA
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ELECTRIC STARTER
SEMI-AUTOMATIC
ADJUSTABLE THROTTLE
WATERPROOF START BUTTON
COMPATIBLE LOW SEAT PAGE 80
YCF AIR FILTER
YCF GRIPS
SHORTER GEARSHIFT
CNC CLAMP WITH ADJUSTABLE BAR MOUNT

START

F88S



720mm / 28 in.

 **65Kg / 143 lbs**

L : 740mm / W: 29 in.

1045mm / 41 in.

1460mm / 57 in.



€ 1999

SPECIFICHE

MOTORE: ELETTRICO 1000W/ 60V
BATTERIE LITIO 20Ah
FORCELLA ROVESCIATA 600mm
MONOAMMORTIZZATORE REGOLABILE 265mm
PNEUMATICI: 60/100/12 - 300/10

SPECIFICATIONS

ENGINE TYPE: 1000W/ 60V ELECTRIC
20Ah LITHIUM BATTERY
600mm UPSD FORK
265mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/12 - 300/10



YCF CONSIGLIA LUBRIFICANTI IPONE®

2021 START W88 THE NEW ERA OF ELECTRIC

CARATTERISTICHE E NOVITA' 2021

MOTORE ELETTRICO ÉODYMIUM MAGNET DC 1000W/ 60V
BATTERIE LITIO / RICARICA IN 7 H
AUTONOMIA 1H00
CARICABATTERIE LI-ION 110V/ 220V
REGOLAZIONE VELOCITÀ (POTENZIOMETRO)
INDICATORE DI CARICA SU COMANDO GAS
SOLO 54.5 KG DI PESO
PROTEZIONE CATENA
PROTEZIONE MOTORE E BATTERIA IN FIBRA DI VETRO
RISPOSTA GAS REGOLABILE
SELLE RIBASSATA COMPATIBILE A PAG 82
KIT RIBASSAMENTO OPZIONALE A PAG 94

HIGHLIGHTS & 2021 NEW FEATURES

1000W/ 60V BRUSHLESS ENGINE (BDLC)
LITHIUM BATTERY/ CHARGING TIME 7 HOURS
BATTERY LIFE 1:00
LI-ION BATTERY CHARGER 110V/ 220V
THROTTLE WITH BATTERY CHARGE INDICATOR
SPEED DIAL (POTENTIOMETER)
ONLY 119 LBS IN WEIGHT
FULL COVERAGE CHAIN GUARD
FIBER GLASS FULL COVERAGE OF THE ENGINE
ACCELERATION RESPONSE TIME ADJUSTMENT
COMPATIBLE LOW SEAT PAGE 80
HEIGHT ADJUSTMENT KIT PAGE 92

START

W88 ELECTRIC MOTOR



715mm/ 28 in.

 54,5Kg/ 119 lbs

L : 740mm/ W: 29 in.

1045mm/ 41 in.

1470mm/ 58 in.



€ 1349

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 125cc
4 MARCE CON FRIZIONE
FORCELLA ROVESCIAIA 660mm
MONOAMMORTIZZATORE REGOLABILE 270mm
PNEUMATICI: 60/100/14 - 80/100/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 125cc
4 GEARS (N1234)
660mm UPSD FORK
270mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/14 - 80/100/12

2021 START F125 FAST & EASY

CARATTERISTICHE E NOVITA' 2021

COMANDO GAS REGOLABILE
GUARNIZIONE CUSCINETTI DI STERZO
SELLA RIBASSATA PAG. 82
KIT RIBASSAMENTO PAG. 94
FILTRO ARIA YCF
MANOPOLE YCF
LEVA CAMBIO CORTA
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ADJUSTABLE THROTTLE
SEALING WASHER FOR STEERING STEM
COMPATIBLE LOW SEAT PAGE 80
HEIGHT ADJUSTMENT KIT PAGE 92
YCF AIR FILTER
YCF GRIPS
SHORTER GEARSHIFT
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

START

F125

765mm / 30 in.



 **66Kg / 145 lbs**

L : 740mm / W : 29 in.

1120mm / 44 in.

1595mm / 62 in.



€ 1549

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 125cc
4 MARCE SEMI AUTOMATICO
FORCELLA ROVESCIAIA 660mm
MONOAMMORTIZZATORE REGOLABILE 270mm
PNEUMATICI: 60/100/14 - 80/100/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 125cc
4 GEARS (N1234) WITH AUTOMATIC CLUTCH
660mm UPSD FORK
270mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/14 - 80/100/12

2021 START F125SE THE ULTIMATE BATTLE MACHINE

CARATTERISTICHE E NOVITA' 2021

AVVIAMENTO ELETTRICO
SEMI AUTOMATICA
COMANDO GAS REGOLABILE SELLA
RIBASSATA PAG. 82
FILTRO ARIA YCF
MANOPOLE YCF
LEVA CAMBIO CORTA
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ELECTRIC START
SEMI-AUTOMATIC
ADJUSTABLE THROTTLE
COMPATIBLE LOW SEAT PAGE 80
YCF AIR FILTER
YCF GRIPS
SHORTER GEARSHIFT
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

START

F125 

765mm / 30 in.



 **69Kg / 152 lbs**

L : 740mm / W : 29 in.

1120mm / 44 in.

1595mm / 62 in.



€ 1549

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 125cc
4 MARCE CON FRIZIONE (N1234)
FORCELLA ROVESCIAIA 735mm
MONOAMMORTIZZATORE REGOLABILE 330mm
PNEUMATICI: 60/100/14 - 80/100/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER
4 STROKES 125cc/ 4 GEARS (N1234)
FORK: 735mm UPSD FORK
REAR SUSPENSION: 330mm ADJUSTABLE
FRONT & REAR TIRES: 60/100/14 - 80/100/12

2021 PILOT F125 WORLD CLASS SIZE

CARATTERISTICHE E NOVITA' 2021

COMANDO GAS REGOLABILE
AIR BOX
MANOPOLE YCF
NUOVO SELETTORE CAMBIO CORTO
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

ADJUSTABLE THROTTLE
AIR BOX
YCF GRIPS
SHORTER GEARSHIFT
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

PILOT

F125

790mm/ 31 in.



 **69Kg/ 152 lbs**

L : 740mm/ W: 29 in.

1170mm/ 46 in.

1645mm/ 64 in.



€ 1749

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 125cc
4 MARCE CON FRIZIONE (N1234)
FORCELLA ROVESCIAIA 735mm
MONOAMMORTIZZATORE REGOLABILE 330mm
PNEUMATICI: 60/100/14 - 80/100/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES
150cc/ 4 GEARS (N1234)
735mm UPSO FORK
330mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/14 - 80/100/12



2021 PILOT F150 THE ULTIMATE 150

CARATTERISTICHE E NOVITA' 2021

AIR BOX
MANOPOLE YCF
NUOVO SELETTORE CAMBIO CORTO
TRIPLA PIASTRA CON REGOLAZIONE

HIGHLIGHTS & 2021 NEW FEATURES

AIR BOX
YCF GRIPS
SHORTER GEARSHIFT
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®

PILOT

F150




790mm/ 31 in.

 65Kg/ 154 lbs

L : 740mm/ W: 29 in.

1170mm/ 46 in.

1645mm/ 64 in.



€ 2399

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 150cc
4 MARCE KLX CON FRIZIONE (N1234)
FORCELLA ROVESCIAIA 735mm
MONOAMMORTIZZATORE REGOLABILE 330mm
PNEUMATICI: 60/100/14 - 80/100/12 ARRO®

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES
150cc KLX TYPE / 4 GEARS (N1234)
735mm ADJUSTABLE UPSD FORK
330mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 60/100/14 - 80/100/12 ARRO®



2021 FACTORY SP2 150 RACE READY

CARATTERISTICHE E NOVITA' 2021

MOZZI RUOTA IN ALLUMINIO CNC
CORONA A 5 FORI
PNEUMATICI ARRO® ANT/ POST
CERCHI COLOR SILVER
INGRASSATORE COLONNA DI STERZO
SILENZIATORE RACING
MANOPOLE YCF
PARAFANGO MONOAMMORTIZZATORE
TRIPLA PISTRA CON REGOLAZIONE
FORCELLONE ALLUMINIO 420 mm

HIGHLIGHTS & 2021 NEW FEATURES

ALUMINIUM CNC FRONT / REAR HUBS
REAR SPROCKET 5 FIXATIONS POINTS
FRONT / REAR ARRO® TIRES
ALUMINIUM 7116 SILVER RIMS
GREASING ON STEERING STEM
RACING MUFFLER
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
420mm ALUMINIUM SWING ARM



YCF CONSIGLIA LUBRIFICANTI IPONE®

FACTORY

150 SP2

800mm / 32 in.



 **73Kg / 161 lbs**

L : 740mm / W : 29 in.

1190mm / 47 in.

1670mm / 66 in.



€ 3399

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI, 4 VALVOLE
190cc DAYTONA® ANIMA®/ 4 MARCE (N1234)
FORCELLA ROVESCIAIA REGOLABILE ENGI® 800mm
MONOAMMORTIZZATORE REGOLABILE ENGI® 335mm
PNEUMATICI ARRO® : 60/100/14 - 80/100/12
CARBURATORE NIBBI® 28

SPECIFICATIONS

ENGINE TYPE: DAYTONA® ANIMA® SINGLE CYLINDER 4V
4 STROKES 190cc/ 4 GEARS (N1234)
800mm ENGI® UPSD ADJUSTABLE FORK
335mm ENGI® ADJUSTABLE REAR SUSPENSION
FRONT & REAR ARRO® TIRES: 60/100/14 - 80/100/12
NIBBI® 28 CARBURETOR

DAYTONA ENGI® ARRO™



YCF CONSIGLIA LUBRIFICANTI IPONE®



2021 FACTORY SP3 190 CATCH ME IF YOU CAN

CARATTERISTICHE E NOVITA' 2021

FORCELLONE DA 460mm
NUOVE PIASTRE INTERASSE 170mm
MOZZI RUOTA IN CNC ANT E POST
MANOPOLE YCF
PARASPRUZZI MONOAMMORTIZZATORE
TRIPLA PIASTRA CON REGOLAZIONE
MANUBRIO YCF FATBAR 28mm
PEDANE INOX
PEDALE FRENO ALLUMINIO
GUIDA CATENA RINFORZATO

HIGHLIGHTS & 2021 NEW FEATURES

18 IN. SWINGARM
7 IN. TRIPLE CLAMPS
ALUMINIUM CNC FRONT/ REAR HUBS
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
YCF FAT BAR 28,6mm HANDLEBAR
INOX FOOT PEGS
ALUMINIUM BRAKE PEDAL
REINFORCED CHAIN GUIDE

FACTORY

190 SP3
DAYTONA

845mm/ 33 in.



 **75Kg/ 165 lbs**

L : 740mm/ W: 29 in.

1195mm/ 47 in.

1670mm/ 66 in.



€ 1799

SPECIFICHE

MOTORE: MONOCILINDRICO 4 TEMPI
125cc 4 MARCE CON FRIZIONE
FORCELLA ROVESCIATA 660mm
MONOAMMORTIZZATORE 270mm
PNEUMATICI: 100/90/12 - 120/80/12

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES 125cc
4 GEARS (N1234)
660mm UPSO FORK
270mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 100/90/12 - 120/80/12

2021 SM F125 SUPERMOTO, SUPER FUN!

CARATTERISTICHE E NOVITA' 2021

MOTORE 125 ZONGSHEN FIDDY RACER
COMANDO GAS REGOLABILE
PNEUMATICI KENDA K702
NUOVI CERCHI YCF
SELLE RIBASSATA COMPATIBILE PAG 80
KIT RIBASSO PAG 92
MANOPOLE YCF
TRIPLA PISTRA REGOLABILE

HIGHLIGHTS & 2021 NEW FEATURES

ZONGSHEN ENGINE 125 FIDDY RACER
ADJUSTABLE THROTTLE
KENDA TIRES K702
NEW YCF WHEELS
COMPATIBLE LOW SEAT PAGE 80
HEIGHT ADJUSTMENT KIT PAGE 92
YCF GRIPS
CNC CLAMP WITH ADJUSTABLE BAR MOUNT



YCF CONSIGLIA LUBRIFICANTI IPONE®



69Kg/ 152 lbs

L : 740mm/ W: 29 in.

- 1120mm/ 44 in.

- 1610mm/ 63 in.



€ 2699

INCLUDE ANCHE
KIT PARAMANI CON ANIMA IN ALLUMINIO



SPECIFICHE

MOTORE: MONOCILINDRICO 4T, 155cc, 2
VALVOLE, 4 MARCE (N1234)
FORCELLA REGOLABILE FASTACE 735mm
AMMORTIZZATORE REGOLABILE DNM 310mm
PNEUMATICI: 90/100/12 - 120/80/12 PIRELLI®

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 155cc/ 4 GEARS
(N1234)
735mm FASTACE® UPSD ADJUSTABLE FORK
310mm DNM® ADJUSTABLE REAR SUSPENSION
FRONT & REAR TYRES: 90/100/12 - 120/80/12 MITAS®



2021 SM160 LIMITED MOBSTER BEST SELLER SM

CARATTERISTICHE E NOVITA' 2021

MANUBRIO FATBAR 28mm
CARBURATORE NIBBI® PE28
SCARICO SINGOLO YCF FACTORY
FILTRO ARIA YCF
CERCHI IN LEGA MOBSTER VORTEX E PNEUMATICI IN
MESCOLA PIRELLI DIABLO ROSSO SCOOTER SC
POMPA ANT. RADIALE
CATENA 420 COLORE BLU
SELLA RACING IN DOPPIA TINTA NERO/BLU
ADESIVI PARATELAIO
KIT SLIDER INCLUSO
KIT RECUPERO LIQUIDI INCLUSO

HIGHLIGHTS & 2021 NEW FEATURES

FATBAR 28mm HANDLEBAR
NIBBI® PE28 CARBURATOR
TWIN FACTORY EXHAUST
YCF AIR FILTER
MOBSTER VORTEX WHEELS AND PIRELLI DIABLO
ROSSO SCOOTER SC TIRES
FRONT RADIAL PUMP, NEW CLUTCH LEVER
420 CHAIN BLUE COLOR
RACING SEAT DOUBLE COLOR BLACK/BLUE
FRAME STICKERS
SLIDER KIT
FLUID RECOVER KIT INCLUDED



74Kg

LARGHEZZA / WIDTH : 740mm

1200mm

1680mm



SUPERCHARGED 4V MR1

€ 3699

INCLUDE ANCHE
KIT PARAMANI CON ANIMA IN ALLUMINIO



2021 SM190-MR1
LIMITED MOBSTER NEW ERA

NEW
2021

SPECIFICHE

MOTORE: MONOCILINDRICO 4T, 4 VALVOLE
190cc 4 MARCE (N1234) DAYTONA ANIMA 4V
FORCELLA REGOLABILE ENGI PRO 735mm
AMMORTIZZATORE REGOLABILE DNM 330mm
PNEUMATICI: 90/100/12 - 120/80/12 PIRELLI®

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 190cc/ 4 GEARS
(N1234) DAYTONA ANIMA 4V
735 mm ENGI® UPSD ADJUSTABLE FORK
330 mm DNM® ADJUSTABLE REAR SUSPENSION
FRONT & REAR TYRES: 90/100/12 - 120/80/12 PIRELLI®

NUOVA MOTO 2021

NUOVO TELAIO YCF FACTORY 2021 SM
MOTORE DAYTONA FSM 190 4 VALVOLE
NUOVA FORCELLA ENGI PRO 48 735mm PLURIGOLABILE
FORCELLONE IN ALLUMINIO RINFORZATO
NUOVA TRIPLA PIASTRA IN ALLUMINIO CNC ANODIZZATA
FRENO ANTERIORE CON POMPA E PINZA RADIALE
NUOVO DISCO FLOTTANTE ANTERIORE YCF FACTORY 240mm
NUOVO CARBURATORE NIBBI® PWK 34 + FILTRO DEDICATO RAM
DOPPIO SCARICO YCF FACTORY
CERCHI IN LEGA MOBSTER VORTEX 12 POLLICI
PNEUMATICI PIRELLI DIABLO ROSSO SCOOTER SC PEDALE
NUOVO FRENO IN CNC ANODIZZATO NERO
NUOVA LEVA FRIZIONE CON REGOLAZIONE
NUOVA SELLA RACING IN DOPPIA TINTA NERO/GRIGIO
KIT SLIDER INCLUSO
KIT RECUPERO LIQUIDI INCLUSO

BRAND NEW BIKE

FACTORY YCF FRAME 2021 SM
ALUMINIUM REINFORCED SWINGARM
ADJUSTABLE TRIPLE CLAMP
FRONT RADIAL PUMP AND CALIPER
240mm FLOATING YCF FRONT BRAKE DISK
DAYTONA 190 4V ENGINE
NIBBI® PWK34 CARBURATOR + RAM FILTER
TWIN FACTORY EXHAUST
MOBSTER VORTEX WHEELS AND PIRELLI TIRES
BLACK CNC BRAKE PEDAL
ADJUSTABLE CLUTCH LEVER
RACING SEAT DOUBLE COLOR BLACK/GRAY
SLIDER KIT
FLUID RECOVER KIT



SUPERCHARGED 4V
MR1



810 mm



74Kg

LARGHEZZA / WIDTH : 740mm

1200mm

1680mm





€ 1699

SPECIFICHE

MOTORE: MONOCILINDRICO 4T, 2 VALVOLE
110cc MONOMARCIA

FORCELLA 600mm

AMMORTIZZATORE YCF 265mm

PNEUMATICI ANTERIORI: 3.50/10 MITAS®

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 110cc/ FULL
AUTOMATIC

600 mm UPSD FORK

265 mm REAR SUSPENSION

FRONT & REAR TYRES: 3.50/10 MITAS®



2021 SM110 AUTO S FULL AUTOMATIC BABY

RENTAL CHOICE

CARATTERISTICHE E NOVITA' 2021

MOTORE AUTOMATICO MONOMARCIA
AVVIAMENTO ELETTRICO

AIRBOX

KIT RIBASSAMENTO MONOAMMORTIZZATORE INCLUSO
CERCHI IN LEGA MOBSTER DA 10 POLLICI

PNEUMATICI IN MESCOLA MITAS
COMANDO GAS REGOLABILE

BLOCCETTO CHIAVE ACCENSIONE

KIT SLIDER INCLUSO - KIT RECUPERO LIQUIDI INCLUSO
KIT PARAMANI INCLUSO

HIGHLIGHTS & 2021 NEW FEATURES

FULL AUTOMATIC ENGINE

ELECTRIC START

AIRBOX LOWER SHOCK SYSTEM

MOBSTER ALLOY TUBELESS WHEELS

MITAS TIRES

ADJUSTABLE THROTTLE

STARTING KEY WATERPROOF

SLIDERS, LIQUID RECOVERY KIT

HANDLEBAR GUARD

LA PIU' ADATTA AL NOLEGGIO BABY




 65Kg/ 143 lbs

L: 740mm/ W: 29 in.

1045mm/ 41 in.

1460mm/ 57 in.



€ 1799

SPECIFICHE

MOTORE: MONOCILINDRICO 4T, 2 VALVOLE
110cc MONOMARCIA

FORCELLA 660mm

AMMORTIZZATORE YCF 270mm

PNEUMATICI: 100/90/12 : 120/80/12 PIRELLI®



SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 110cc/ FULL
AUTOMATIC

660 mm UPSD FORK

270 mm REAR SUSPENSION

FRONT & REAR TYRES: 3.50/10 PIRELLI®

2021 SM110 AUTO M FULL AUTOMATIC ADULT

RENTAL CHOICE

CARATTERISTICHE E NOVITA' 2021

MOTORE AUTOMATICO MONOMARCIA
AVVIAMENTO ELETTRICO

AIRBOX

KIT RIBASSAMENTO MONOAMMORTIZZATORE

CERCHI IN LEGA MOBSTER DA 10 POLLICI

PNEUMATICI IN MESCOLA PIRELLI DIABLO SC

COMANDO GAS REGOLABILE

BLOCCHETTO CHIAVE ACCENSIONE

KIT SLIDER INCLUSO - KIT RECUPERO LIQUIDI INCLUSO

KIT PARAMANI INCLUSO

HIGHLIGHTS & 2021 NEW FEATURES

FULL AUTOMATIC ENGINE

ELECTRIC START

AIRBOX LOWER SHOCK SYSTEM

MOBSTER ALLOY TUBELESS WHEELS

PIRELLI TIRES

ADJUSTABLE THROTTLE

STARTING KEY WATERPROOF

SLIDERS, LIQUID RECOVERY KIT

HANDLEBAR GUARD

LA PIU' ADATTA PER IL NOLEGGIO



 **69Kg/ 152 lbs**

 **740mm/ W: 29 in.**

 **1120mm/ 44 in.**

 **1610mm/ 63 in.**



€ 1949

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 125CC
4 MARCE (N1234)
FORCELLA ROVESCIAIA 785mm
MONOAMMORTIZZATORE 335mm REGOLABILE
PNEUMATICI: 70/100/17 - 90/100/14

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER
4 STROKES 125cc/ 4 GEARS (N1234)
FORK: 785mm UPSD FORK
REAR SUSPENSION: 335mm ADJUSTABLE
FRONT & REAR TIRES: 70/100/17 - 90/100/14

2021 BIGY 125 MX EASY TO PICK UP

CARATTERISTICHE E NOVITA' 2021

PNEUMATICI ANT 17"/ POST 14'
AIR BOX
MANOPOLE YCF
PARASPRUZZI MONO
TRIPLA PISTRA CON REGOLAZIONE LEVA
FRENO RIPEGABILE
LEVA CAMBIO CORTA

HIGHLIGHTS & 2021 NEW FEATURES

FRONT 17" / REAR 14" WHEEL
AIR BOX
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
FOLDABLE FRONT BRAKE LEVER
SHORTER GEARSHIFT



YCF CONSIGLIA LUBRIFICANTI IPONE®



125 MX



880mm/ 34 in.

 **80Kg/ 176 lbs**

L : 740mm/ W: 29 in.

1300mm/ 51 in.

1875mm/ 74 in.



€ 2199

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 150CC
4 MARCE (N1234)
FORCELLA ROVESCIATA 785mm
MONOAMMORTIZZATORE 355mm REGOLABILE
PNEUMATICI: 70/100/17 - 90/100/14

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER
4 STROKES 150cc/ 4 GEARS (N1234)
FORK: 785mm UPSD FORK
REAR SUSPENSION: 355mm ADJUSTABLE
FRONT & REAR TIRES: 70/100/17 - 90/100/14

2021 BIGY 150 MX BIGGER! FASTER! STRONGER!

CARATTERISTICHE E NOVITA' 2021

PNEUMATICI ANT 17' / POST 14'
AIR BOX
MANOPOLE YCF
PARASPRUZZI MONO
TRIPLA PISTRA CON REGOLAZIONE LEVA
FRENO RIPEGABILE
LEVA CAMBIO CORTA

HIGHLIGHTS & 2021 NEW FEATURES

FRONT 17' / REAR 14' WHEEL
AIR BOX
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
FOLDABLE FRONT BRAKE LEVER
SHORTER GEARSHIFT



YCF CONSIGLIA LUBRIFICANTI IPONE®



150 MX



880mm / 34 in.

 **81Kg / 178 lbs**

L : 740mm / W: 29 in.

1300mm / 51 in.

1875mm / 74 in.



€ 2999

SPECIFICHE

MOTORE MONOCILINDRICO 4 TEMPI 190CC
ZONGSHEN 5 MARCE (N1234)
FORCELLA ROVESCIAIA 800mm
MONDAMMORTIZZATORE 355mm REGOLABILE
PNEUMATICI: 70/100/17 - 90/100/14 ARRO®
CARBURATORE NIBBI 28

SPECIFICATIONS

ENGINE TYPE: SINGLE CYLINDER 4 STROKES
190cc ZONGSHEN/ 5 GEARS
800mm ADJUSTABLE UPSD FORK
355mm ADJUSTABLE REAR SUSPENSION
FRONT & REAR TIRES: 70/100/17 - 90/100/14 ARRO®
NIBBI® 28 CARBURETOR



YCF CONSIGLIA LUBRIFICANTI IPONE®




2021 BIGY 190 MX ZE FACTORY ELECTRIC START

CARATTERISTICHE E NOVITA' 2021

RUOTE 17" / 14"
AIR BOX
AIR BOX CERCHI ALLUMINIO 7116
MOZZI IN ALLUMINIO CNC
AVVIAMENTO ELETTRICO
MANOPOLE YCF
TRIPLA PISTRA REGOLABILE
PEDANE IN ACCIAIO PEDALE
FRENO ALLUMINIO
GUIDA CATENA RINFORZATO

HIGHLIGHTS & 2021 NEW FEATURES

FRONT 17" / REAR 14" WHEEL
AIR BOX
ALUMINIUM 7116 RIMS
ALUMINIUM FRONT/ REAR CNC HUBS
ELECTRIC START
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
INOX FOOT PEGS
ALUMINIUM BRAKE PEDAL
REINFORCED CHAIN GUIDE



L : 740mm/ W: 29 in.

890mm/ 35 in.

- 1305mm/ 51 in.

- 1880mm/ 74 in.



€ 3599

SPECIFICHE

MOTORE DAYTONA ANIMA MONOCILINDRICO 4 TEMPI
190CC 4V 4 MARCE (N1234)

FORCELLA ROVESCIAIA 800mm ENGI REGOLABILE

MONOAMMORTIZZATORE 355mm ENGI REGOLABILE

PNEUMATICI: 70/100/17 - 90/100/14 ARRO

CARBURATORE NIBBI 28

SPECIFICATIONS

ENGINE TYPE: DAYTONA® ANIMA® SINGLE CYLINDER 4V
4 STROKES 190cc/ 4 GEARS (N1234)
4 SPEED ENGINE

800mm ENGI® UPSD ADJUSTABLE FORK

355mm ENGI® ADJUSTABLE REAR SUSPENSION

FRONT & REAR TIRES: 70/100/17 - 90/100/14 ARRO®

NIBBI® 28 CARBURETOR

DAYTONA ENGI® ARRO™



YCF CONSIGLIA LUBRIFICANTI IPONE®

2021 BIGY 190 MX FACTORY DAYTONA FIRST TO THE FINISH LINE

CARATTERISTICHE E NOVITA' 2021

AIR BOX
PROTEZIONE MANUBIO 3D
MOTORE DAYTONA 4 MARCE
FORCELLONE ALLUMINIO
PEDANE ACCIAIO INOX
PEDALE FRENO ALLUMINIO
MANOPOLE YCF
PARASPRUZZI MONOAMMORTIZZATORE
TRIPLA PIASTRA REGOLABILE
MANUBRIO YCF FATBAR 28mm
GUIDACATENA RINFORZATO

HIGHLIGHTS & 2021 NEW FEATURES

AIR BOX
RUBBER BAR PAD
DAYTONA 4 SPEED ENGINE
ALUMINIUM SWING ARM
INOX FOOTPEGS
ALUMINIUM BRAKE PEDAL
YCF GRIPS
MUD FLAP
CNC CLAMP WITH ADJUSTABLE BAR MOUNT
YCF FAT BAR 28,6mm HANDLEBAR
ALUMINIUM BRAKE PEDAL
REINFORCED CHAIN GUIDE



190 MX *FACTORY*
DAYTONA



890mm / 35 in.

 **84Kg / 185 lbs**

L : 740mm / W : 29 in.

1305mm / 51 in.

1880mm / 74 in.

PADDOCK PADDOCK



BANDIERA 3 METRI
FLAG

→ YCF-FLAG-3M (3 M)

€ 129



GAZEBO 3 X 3M YCF (CON VELCRO PER PARETI)
YCF PIT TENT 3 X 3M (100% WATERPROOF) INTEGRAL VELCRO AROUND THE ROOF

→ TONNELLEYCF-3

€ 179



FETTUCCIA (ROTOLO DA 100 METRI)
BANNER ROLL (100 METERS ROLL)

→ RUB-1

€ 9



ROTOLO TNT 1 X 25M
BANNER ROLL 1 X 25M

→ FEUTRINE-

€ 99



BANNER YCF 2 X 0,50M
YCF BANNER 2 X 0,50M

→ BANNER

€ 29



TELO COPRIMOTO
MOTORCYCLE COVER

→ BIKECOVER-BL

€ 29



PARETE GAZEBO 3 X 3M CON PORTA
PIT TENT SIDE 3 X 3M WITH ZIP DOOR

01 → PORTE-1

€ 49

SEMIPARETE GAZEBO
PIT TENT HALF SIDE

02 → DEMICOTE-1

€ 29

PARETE GAZEBO 3 X 3M
PIT TENT SIDE 3 X 3M

03 → COTE-1

€ 39



SEDIA YCF
YCF FOLDING CHAIR

→ CHAIR-BL

€ 29



CAVALLETTO IN ALLUMINIO NERO/ BLU/ VERDE/ ARANCIONE/ ROSSO ALTEZZA 40 CM
ALUMINIUM BIKE STAND BLACK/ BLUE/ GREEN/ ORANGE/ RED

→ TREPIED + COLOR


€ 79



CAVALLETTO POSTERIORE REGOLABILE CON RUOTE
REAR STAND. COMES WITH HEIGHT ADJUSTABLE FORKS FOR SPOOLS

→ STAND1MOTO-04

€ 49



TAPPETO ANTILIO YCF 180X80 CM
YCF RUBBER MAT 180X80 CM (70in x 31 in)

→ TAPISSOL-3

€ 69



CAVALLETTO ACCIAIO NERO PER 50/88 - ALTO 32 cm
50/88 STEEL BIKE STAND BLACK - HEIGHT 12 in.

→ TREPIED02-BK

€ 59



CAVALLETTO ACCIAIO NERO- ALTO 40 cm
STEEL BIKE STAND BLACK - HEIGHT 15,7 in.

→ TREPIED01-BK

€ 59



CAVALLETTO POSTERIORE REGOLABILE
ADJUSTABLE REAR WHEEL STAND

→ STAND1MOTO-02

€ 35

ABBIGLIAMENTO APPAREL



OMBRELLO YCF
YCF UMBRELLA

UMBRELLA

€ 29



BERRETTINO NERO YCF
YCF BEANIE

→ BYCF01-BK

€ 15



CAPPELLINO YCF ROSSO/BIANCO
YCF RED/WHITE CURVED BILL HAT

→ CYCF03-RD

€ 19



CAPPELLINO YCF BIANCO/NERO
YCF BLACK/WHITE SNAPBACK HAT

→ CYCF03-BK

€ 19



FELPA CON CAPPUCCIO YCF (S/ M/ L/ XL/ XXL)
YCF ZIP HOODIE (SIZE: S/ M/ L/ XL/ XXL)

→ SWEAT02RD + TAILLE/ SIZE

€ 59



CAMICIA RACING YCF (S/ M/ L/ XL/ XXL)
SHORT-SLEEVED RACING SHIRT (S/ M/ L/ XL/ XXL)

→ CHEMISETTE-2 + TAILLE/ SIZE

€ 35



T-SHIRT YCF (TAILLE: S/ M/ L/ XL/ XXL)
YCF T-SHIRT (SIZE: S/ M/ L/ XL/ XXL)

→ TSYCFRD + TAILLE/ SIZE

€ 19



T-SHIRT BIMBO YCF (TAGLIA: 4 ANNI/ 8 ANNI)
YCF YOUTH T-SHIRT (SIZE: 4 YEARS/ 8 YEARS)

→ TSK02BL-4 (4 YEARS)
→ TSK02BL-8 (8 YEARS)

€ 19