

S3 (*Advance 250cc / 125cc*)

SUPER SOPHISTICATED SENSATION



S3 (Advance 250/125)

TURN YOUR ORDINARY DAY INTO QUITE SOMETHING



S3 Advance 250cc

- BURN GRAY
- TITAN SILVER
- WHITE PEARL GOLD
- BLACK / MUD BLACK



S3 125cc

- BURN GRAY
- WHITE PEARL
- TITAN GRAY / SILVER
- BLACK / MUD BLACK



Luxurious Urban Mobility

Dignified appearance embodying sharp eyes of tiger

Enriched luxury with double LED position lamps



Distinctive Instrument Panel

Exquisite combination of analog sensibility, digital display and red & white-themed illumination offers unique mood



The BEST in 250cc class

Comfort all-round cruiser with powerful water-cooled DOHC engine and Electronic Fuel Injection system



Smart Key System

Convenient keyless operation
Start engine, open seat and fuel lid with a smart key still kept in your pocket


A handy 12v charging outlet



Convenience

Ergonomic backrest offers passenger great comfort and secure riding position

Wide aerodynamic windshield ensures excellent protection from elements



2015 KOREA SCOOTER RACE CHAMPIONSHIP



	STEEZER S	STEEZER	S3 Advance(250cc)	S3(125cc)	AROMA 125	S1 125	CA 110
Engine	SOHC, water cooled 4 stroke	SOHC, water cooled 4 stroke	DOHC, water cooled 4 stroke	DOHC, water cooled 4 stroke	SOHC, air cooled 4 stroke	SOHC, oil/air cooled 4 stroke	SOHC, air cooled 4 stroke
Displacement	124.9cc	124.9cc	247.0cc	124.1cc	124.6cc	124.9cc	108.9cc
Max Power	9.2kW@8,000rpm	9.2kW@8,000rpm	18.4kW@8,700rpm	10.3kW@9,250rpm	6.1kW@7,600rpm	8.5kW@8,700rpm	5.4kW@7,500rpm
Max Torque	11.8Nm@6,500rpm	11.8Nm@6,500rpm	21.3Nm@6,800rpm	10.9Nm@7,250rpm	8.9Nm@6,000rpm	10.5Nm@7,200rpm	9.1Nm@4,750rpm
Ignition System	Fuel Injection	Fuel Injection	Fuel Injection	Fuel Injection	Carburetor	Fuel Injection	Carburetor
Length x Width x Height(mm)	2,078 x 755 x 1,304	2,078 x 755 x 1,304	2,140 x 750 x 1,330	2,110 x 750 X 1,200	1,850 x 674 x 1,120	1,965 x 740 x 1,120	1,930 x 660 x 1,080
Wheel Base (mm)	1,382	1,382	1,500	1,500	1,280	1,350	1,220
Seat Height (mm)	790	740	745	745	740	770	765
Dry Weight (kg)	152	147	167	159	110	127	96
Fuel Capacity (L)	9.6	9.6	12.7	12.7	5.9	9.5	4
Transmission Type	V-matic	V-matic	V-matic	V-matic	V-matic	V-matic	4 Step Rotary
Suspension	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm
Tires (F/R)	120/70-14, 140/60-14	120/70-14, 140/60-14	120/70-14 61S, 140/60-13 63S	120/70-14 61L, 140/60-13 63S	110/70-12, 3.50-10	120/70-13 53L, 130/60-13 60L	2.75-16-4 , 3.00-16-6
Brakes (F/R)	Disc / Disc	Disc / Disc	Disc / Disc	Disc / Disc	Disc / Drum	Disc / Disc	Disc / Drum



DART 125	WITTY 50	BEAGLE 50	DAYSTAR 250	DAYSTAR 125	ROADWIN 250R	ROADWIN 125R
SOHC, air cooled 4 stroke	SOHC, air cooled 4 stroke	SOHC, air cooled 4 stroke	DOHC water-cooled 4 stroke	SOHC, oil/air cooled 4 stroke	DOHC, water cooled 4 stroke	DOHC, water cooled 4 stroke
124.6cc	49.6cc	49.6cc	247.0cc	124.9cc	247.0cc	124.1cc
6.1kW@7,600rpm	2.9kW@7,250rpm	2.9kW@7,250rpm	17.0kW@8,500rpm	9.4kW@9,700rpm	17.3kW@9,000rpm	10.9kW@10,500rpm
8.5Nm@6,000rpm	3.8Nm@6,500rpm	3.8Nm@6,500rpm	20.6Nm@6,700rpm	10.5Nm@8,000rpm	18.9Nm@7,000rpm	11.8Nm@8,500rpm
Carburetor	Carburetor	Carburetor	Fuel Injection	Fuel Injection	Fuel Injection	Fuel Injection
1,870 x 670 x 1,075	1,800 x 710 x 1,185	1,800 x 710 x 1,185	2,200 x 845 x 1,130	2,040 x 860 x 1,155	2,025 x 778 x 1,180	2,025 x 778 x 1,180
1,250	1,255	1,255	1,500	1,505	1,390	1,390
735	735	735	720	720	780	780
110	95	95	165	154	158	145
5.9	5	5	17.0	16.8	15.0	15.0
V-matic	V-matic	V-matic	5 step Return	5 step Return	5 step Return	5 step Return
Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm	Telescopic / Swing arm
110/70-12, 3.50-10	110/70-12, 120/70-12	110/70-12, 120/70-12	90/90-18, 130/90-15	90/90-18 15P, 130/90-15 66P	110/70-17 54S, 140/60-17 69S	110/70-17 54S, 140/60-17 69S
Disc / Disc	Disc / Drum	Disc / Drum	Double Disc / Disc	Disc / Disc	Double Disc / Disc	Disc / Disc